

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	4	("su-chen" "su chen" "suchen") NEAR2 lin).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 09:17
S5	86	(wistron ADJ corporation).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 09:13
S6	30	S5 AND interpret\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 09:14
S12	55	"F-language" "F language"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 12:17
S13	812	(interpreter SAME (parser analyzer))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 12:23
S14	662	S13 AND (@pd<"20030307" @ad<"20030307" @prad<"20030307" @rlad<"20030307")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 13:43
S15	627	S14 AND (command instruction operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 12:24
S16	262	S15 AND windows	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 13:42
S18	1	"5,222,030".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 13:16

EAST Search History

S19	282	717/139.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 13:42
S20	210	S19 AND interpreter	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 13:43
S21	192	S20 AND (@pd<"20030307" @ad<"20030307" @prad<"20030307" @rlad<"20030307")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/11/20 13:43



java interpreter application driver

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#) Results **1 - 10** of about **2,890** for **java interpreter application driver**. (0)

All Results[A Carzaniga](#)[G Picco](#)[G Vigna](#)[H Maruyama](#)[S Papastavrou](#)Did you mean: [java interpreter application **server**](#)

[Designing Distributed Applications with Mobile Code Paradigms - group of 14 »](#)

A Carzaniga, GP Picco, G Vigna - Software Engineering, 1997., Proceedings of the 1997 (19th) ..., 1997 - [ieeexplore.ieee.org](#)

... to another **Java interpreter** without modifying the **Java interpreter**. ... guidance for the design of distributed **applications**. ... a file, a network device **driver**, or a ...
 Cited by 215 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[A scalable architecture for multi-threaded **JAVA** applications - group of 13 »](#)

M Mrva, K Buchenrieder, R Kress - Proceedings of the conference on Design, automation and test ..., 1998 - [portal.acm.org](#)

... using the profiling information of the .prof file of the **java interpreter**. ... **Java Bytecode** ... The concrete **application** of the "Wrapper-Driver-Runner" pattern is ...
 Cited by 13 - [Related Articles](#) - [Web Search](#)

[Static and Dynamic Program Compilation by **Interpreter** Specialization - group of 15 »](#)

S Thibault, C Consel, JL Lawall, R Marlet, G ... - Higher-Order and Symbolic Computation, 2000 - Springer

... a language aimed at developing network **application** protocols and ... allow optimizations in the **interpreter** that are ... For example, a **Java** execution environment must ...
 Cited by 25 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[JN: OS FOR AN Embedded **Java** Network Computer - group of 8 »](#)

BR Montague - [ieeexplore.ieee.org](#)

... JN, its **drivers**, and the JN TCP/IP stack in C. The JVM runs as an **application** thread. ... The **Java interpreter** loop is essentially a single C switch statement ...
 Cited by 18 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Mobile agents for WWW distributed database access - group of 14 »](#)

S Papastavrou, G Samaras, E Pitoura - Data Engineering, 1999. Proceedings., 15th International ..., 1999 - [ieeexplore.ieee.org](#)

... its effectiveness over a specific **application** context (ie ... the JDBC API and the JDBC **driver** API and ... its operating system is running the **Java Interpreter** or any ...
 Cited by 85 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Domain-specific languages: from design to implementation **application** to video device drivers ... - group of 10 »](#)

SA Thibault, R Marlet, C Consel - IEEE Transactions on Software Engineering, 1999 - [doi.ieeecs.org](#)

... not feasible on machine code or even **Java** bytecodes due ... situation, with the equivalent of two **application** generators (**interpreter**/abstract machine ...
 Cited by 45 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[book] [Xml and **Java**: Developing Web Applications - group of 2 »](#)